Previous Std. Specs. CHEVROLET/GMC					
	Cab 4X4				
	Colorado				
	CT15403 Canyon				
	TT15403				
1. All Std Equip as	5150 GVW				
listed by Mfg. or as	1349 PL				
req. for 6' Bed	111.3 Wheelbase				
2.a. Engine, 2.7L	3.7 5 Cyl In-line				
4 Cyl EFI	242 5600 242 4600				
	242 4600				
2.b. Engine, Flex Fuel	N/A				
(E-85)					
	27/4				
2.c. Engine, Hybrid	N/A				
3. Transmission	4 Speed Auto				
Automatic 4 Speed	w/ Over Drive				
Over Drive					
3a Optional	None				
Transmission					

Previous Std. Specs. CHEVROLET/GMC					
4. Tires, Five (5)	P235/75R16				
All Terrain, Radial	All Season				
BW. To be Mfg.					
Std to meet GVWR					
4a. Optional Tires	None				
5. Brakes, Power, Disc	4 Wheel ABS				
4 Wheel, ABS System					
6. Battery, Minimum	590				
590 CCA					
Maintenance Free					
6a. Optional Battery	None				
The state of the state of					
7 A14 4	125				
7. Alternator	125				
125 Amps					
8. Steering, Power	Std				

CHEVROLET/GMC				
Std – Manual				
Std				
Vinyl - Opt Cloth - Std				
Std				
AM/FM Stereo				
Std				
Std				
Std				
	Std — Manual Std Vinyl - Opt Cloth - Std Std AM/FM Stereo Std	Std – Manual Std Vinyl - Opt Cloth - Std Std AM/FM Stereo Std	Std - Manual Std Vinyl - Opt Cloth - Std Std AM/FM Stereo Std Std	Std - Manual Std Vinyl - Opt Cloth - Std Std AM/FM Stereo Std

	CHEVROLET/GMC	 	
16. Tinted Glass	Std		
17. Air Bag Driver & Passenger Side	Dual – Std		
18. Fuel Tank Capacity 19 gal	19 gal		
19. Power Outlet: 12-Volt	2 Outlets		
20. Differential Limited Slip	Opt		
21. Transfer Case 2 Speed	Std		
22. Hubs - Front Wheel Auto Locking	Std		
23. Vehicle to be completely winterized	Std		
24. Fuel Minimum 1/4 tank on delivery	Dealer		

Previous Std. Specs. CHEVROLET/GMC					
25. Standard Warranty	3 Yr. 36,000 Mi 5 Yr 100,000 Drive Train				
Optional Equipment					
A. Anti Lock Brakes	Std				
B. Factory Paint Dark Green	Woodland Green SCO No Min Plastic Parts will be gloss black				
C. Optional Engine Sizes	2.9L 4 Cyl 185 5600 190 2800				
D. Front Axle Weight	2850				
E. Rear Axle Weight	2900				